

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58990

Thursday, May 20, 2010 3:02:08 PM



Page 2

Item ID: D3911-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Basket Installation Stud Assembly, Lower

Start Date: 5/20/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 5/20/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: _____

0.00



Packaging

Memo

0.00

Packaging

Per 10/5/21

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

*10/05/21**mf**10-5-21*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, May 20, 2010 3:02:07 PM

Page 1

Work Order ID: 58990

Parent Item: D3911-041

Parent Item Name: Basket Installation Stud Assembly, Lower







Start Date: 5/20/2010

Required Date: 5/20/2010

Comments: IPP RevA: New issue DD verified by:EC
AS PER REV B 10-03-23 JLM VERIFIED BY:DD IPP REV:B
revC 10.04.07 Verified by:JLM IPP Rev:C as per dwg

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/	Replacement	Mfg/	Bin	Primary	Last	Route	Unit of	Qty on	Qty per Kit	Qty	Date	Status
D3911-1		Manufactured	No			100	Each	2.0000	1			
											SAD 10-05-21	
Basket Installation Stud, Lower												
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST095				2				
				57822				2			1	
D3911-5		Manufactured	No			100	Each	26.0000	2			
											SAD 10-05-21	
Basket Stud Plate												
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST095				26				
				57375				9			2	
				57843				17				
MS20615-4M20		Purchased	No			100	Each	164.0000	3			
											SAD 10-05-21	
RIVET												
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST323				164				
				113254				16				
				114324				4				
				114349				144			1	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D3911-041	BASKET INSTL STUD ASSY (LOWER)
		X	D3911-043	AFT EYEBOLT RECEIVER ASSY
1	1		D3911-1	BASKET INSTL STUD (LOWER)
2		1	D3911-3	AFT EYEBOLT RECEIVER
3	2		D3911-5	BASKET STUD PLATE
4		2	D3911-7	BASKET PLATE-EYEBOLT RECEIVER
5	3	4	MS20615-4M20	RIVET



D3911-041 BASKET INSTL STUD ASSY (LOWER)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3911-04X USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -041: 0.63 lbs
-043: 0.99 lbs



D3911-043 AFT EYEBOLT RECEIVER ASSY

RELEASED
2010-04-14

C	BOM: QTY (2): D4087-1 & MS21209-C610 REMOVED FROM -043 ASSY. WEIGHT UPDATED. D3911-3 REDESIGNED. D3911-043 & D3911-3 DETAIL UPDATED. MTL SPEC ADDED TO NOTES (SHT 2). DIM 0.375 WAS 0.400 (C3-3).	JPH	10.04.08
B	DIAMETER (B3-2) AND DIM ADDED (B2-2) & (C3-2)	JPH	10.03.16
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	JPH	DRAWING NO.	REV. C
MFG. APPR.		D3911	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AFT HARDPOINT, BASKET	NTS
DATE	10.04.06	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



8 7 6 5 4 3 2 1



D3911-1 BASKET INSTL STUD (LOWER)



D3911-3 AFT EYEBOLT RECEIVER






SECTION A-A

RELEASED
2010-04-14

NOTES:

- 1) MATERIAL -1: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582 PER DART SPEC M303R OR M304R
- 3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276 OR ASTM A582 PER DART SPEC M303B OR M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT -1: 0.36 lbs
-3: 0.73 lbs

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JPH	DRAWING NO.	REV. C
MFG. APPR.		D3911	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AFT HARDPOINT, BASKET	NTS
DATE	10.04.06	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3911-5 BASKET STUD PLATE





NOTES:

- 1) MATERIAL -5 & -7: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME 5A240
PER DART SPEC M304S11GA OR M303S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT -5: 0.13 lbs
-7: 0.13 lbs



D3911-7 BASKET PLATE-EYEBOLT RECEIVER

RELEASED
2010-04-14

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3911	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AFT HARDPOINT, BASKET	NTS
DATE	10.04.06	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries